Page 1 of 2 Searching PAJ

# PATENT ABSTRACTS OF JAPAN

(11)Publication number:

2000-005357

(43) Date of publication of application: 11.01.2000

(51)Int.CI.

A63B 53/04

A63B 53/06

(21)Application number: 10-188289

(71)Applicant: MIZUNO CORP

NANCHENG CO LTD

(22) Date of filing:

17.06.1998

(72)Inventor: MASUDA NAOYUKI

ISHII TAKASHI


**RI GOTO** 

### (54) IRON CLUB HEAD AND ITS MANUFACTURE

## (57) Abstract:

PROBLEM TO BE SOLVED: To secure a large sweet area and to easily hit a ball high by lowering a centroid in a metallic iron club head.

SOLUTION: This iron club head 1 is provided with a back cavity 3 at a head body 2 and forms a sole part 4 wide and thick. In this case, at the part 4 of the body 2, a bending recess part for fitting a sole weight member is formed at a place from the back face part 7A of a toe part side 6 to the back face part 7B of a heel part side 5 by way of a sole center part 8. In addition, at the inner wall surface part of the bending recess part, a recess part for fitting a wedge-shaped projection is formed and a sole weight member 10 formed in a bending shape matching with the bending recess part and forming a



wedge- shaped projection part on its outer wall surface is force-fit-integrated.

#### LEGAL STATUS

[Date of request for examination]

05.12.2000

[Date of sending the examiner's decision of 31.10.2002 rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]


Copyright (C); 1998,2000 Japan Patent Office


#### \* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.


- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.


#### **DRAWINGS**





[Drawing 2]





[Translation done.]